

## Industrial Fittings



| PART NUMBER    |                | ANSI 150 lb ASME B16.5<br>FIXED FLANGE<br>x INDUSTRIAL HOSETAIL |
|----------------|----------------|-----------------------------------------------------------------|
| 316 S/S        | MILD STEEL     |                                                                 |
| AF36SIH-25-A1  | AF3MSIH-25-A1  | 1"                                                              |
| AF36SIH-32-A1  | AF3MSIH-32-A1  | 1 1/4"                                                          |
| AF36SIH-40-A1  | AF3MSIH-40-A1  | 1 1/2"                                                          |
| AF36SIH-50-A1  | AF3MSIH-50-A1  | 2"                                                              |
| AF36SIH-65-A1  | AF3MSIH-65-A1  | 2 1/2"                                                          |
| AF36SIH-80-A1  | AF3MSIH-80-A1  | 3"                                                              |
| AF36SIH-100-A1 | AF3MSIH-100-A1 | 4"                                                              |
| AF36SIH-125-A1 | AF3MSIH-125-A1 | 5"                                                              |
| AF36SIH-150-A1 | AF3MSIH-150-A1 | 6"                                                              |
| AF36SIH-200-A1 | AF3MSIH-200-A1 | 8"                                                              |
| AF36SIH-250-A1 | AF3MSIH-250-A1 | 10"                                                             |
| AF36SIH-300-A1 | AF3MSIH-300-A1 | 12"                                                             |
| AF36SIH-350-A1 | AF3MSIH-350-A1 | 14"                                                             |

\* Also available in Floating Flanges



| PART NUMBER   |               | TAB 'E' AS2129<br>FIXED FLANGE<br>x INDUSTRIAL HOSETAIL |
|---------------|---------------|---------------------------------------------------------|
| 316 S/S       | MILD STEEL    |                                                         |
| AF36SIH-25-E  | AF3MSIH-25-E  | 1"                                                      |
| AF36SIH-32-E  | AF3MSIH-32-E  | 1 1/4"                                                  |
| AF36SIH-40-E  | AF3MSIH-40-E  | 1 1/2"                                                  |
| AF36SIH-50-E  | AF3MSIH-50-E  | 2"                                                      |
| AF36SIH-65-E  | AF3MSIH-65-E  | 2 1/2"                                                  |
| AF36SIH-80-E  | AF3MSIH-80-E  | 3"                                                      |
| AF36SIH-100-E | AF3MSIH-100-E | 4"                                                      |
| AF36SIH-125-E | AF3MSIH-125-E | 5"                                                      |
| AF36SIH-150-E | AF3MSIH-150-E | 6"                                                      |
| AF36SIH-200-E | AF3MSIH-200-E | 8"                                                      |
| AF36SIH-250-E | AF3MSIH-250-E | 10"                                                     |
| AF36SIH-300-E | AF3MSIH-300-E | 12"                                                     |
| AF36SIH-350-E | AF3MSIH-350-E | 14"                                                     |

\* Also available in Floating Flanges



| PART NUMBER     |                 | EN 1092-1 DIN 16<br>FIXED FLANGE<br>x INDUSTRIAL HOSETAIL |
|-----------------|-----------------|-----------------------------------------------------------|
| 316 S/S         | MILD STEEL      |                                                           |
| AF36SIH-25-D16  | AF3MSIH-25-D16  | 1"                                                        |
| AF36SIH-32-D16  | AF3MSIH-32-D16  | 1 1/4"                                                    |
| AF36SIH-40-D16  | AF3MSIH-40-D16  | 1 1/2"                                                    |
| AF36SIH-50-D16  | AF3MSIH-50-D16  | 2"                                                        |
| AF36SIH-65-D16  | AF3MSIH-65-D16  | 2 1/2"                                                    |
| AF36SIH-80-D16  | AF3MSIH-80-D16  | 3"                                                        |
| AF36SIH-100-D16 | AF3MSIH-100-D16 | 4"                                                        |
| AF36SIH-125-D16 | AF3MSIH-125-D16 | 5"                                                        |
| AF36SIH-150-D16 | AF3MSIH-150-D16 | 6"                                                        |
| AF36SIH-200-D16 | AF3MSIH-200-D16 | 8"                                                        |
| AF36SIH-250-D16 | AF3MSIH-250-D16 | 10"                                                       |
| AF36SIH-300-D16 | AF3MSIH-300-D16 | 12"                                                       |
| AF36SIH-350-D16 | AF3MSIH-350-D16 | 14"                                                       |

**Specialised Encapsulated Fittings**  
Available on request.



## Industrial Fittings



| PART NUMBER  | BSPT 150lb 316 S/S<br>HEX MALE WELD ON |
|--------------|----------------------------------------|
| AF16SW-02-BT | 1/8"                                   |
| AF16SW-04-BT | 1/4"                                   |
| AF16SW-06-BT | 3/8"                                   |
| AF16SW-08-BT | 1/2"                                   |
| AF16SW-10-BT | 5/8"                                   |
| AF16SW-12-BT | 3/4"                                   |
| AF16SW-16-BT | 1"                                     |
| AF16SW-20-BT | 1 1/4"                                 |
| AF16SW-24-BT | 1 1/2"                                 |
| AF16SW-32-BT | 2"                                     |
| AF16SW-40-BT | 2 1/2"                                 |
| AF16SW-48-BT | 3"                                     |
| AF16SW-64-BT | 4"                                     |



| PART NUMBER    | BSPP CONE SEAT 316 S/S<br>FEMALE SWIVEL WELD ON |
|----------------|-------------------------------------------------|
| AF26SW-02-BPCS | 1/8"                                            |
| AF26SW-04-BPCS | 1/4"                                            |
| AF26SW-06-BPCS | 3/8"                                            |
| AF26SW-08-BPCS | 1/2"                                            |
| AF26SW-10-BPCS | 5/8"                                            |
| AF26SW-12-BPCS | 3/4"                                            |
| AF26SW-16-BPCS | 1"                                              |
| AF26SW-20-BPCS | 1 1/4"                                          |
| AF26SW-24-BPCS | 1 1/2"                                          |
| AF26SW-32-BPCS | 2"                                              |
| AF26SW-40-BPCS | 2 1/2"                                          |
| AF26SW-48-BPCS | 3"                                              |
| AF26SW-64-BPCS | 4"                                              |



| PART NUMBER   | BSPP 150 lb 316 S/S<br>3 PIECE FEMALE/FEMALE<br>BARREL UNION |
|---------------|--------------------------------------------------------------|
| AF126S-02-BP1 | 1/8"                                                         |
| AF126S-04-BP1 | 1/4"                                                         |
| AF126S-06-BP1 | 3/8"                                                         |
| AF126S-08-BP1 | 1/2"                                                         |
| AF126S-12-BP1 | 3/4"                                                         |
| AF126S-16-BP1 | 1"                                                           |
| AF126S-20-BP1 | 1 1/4"                                                       |
| AF126S-24-BP1 | 1 1/2"                                                       |
| AF126S-32-BP1 | 2"                                                           |
| AF126S-40-BP1 | 2 1/2"                                                       |
| AF126S-48-BP1 | 3"                                                           |
| AF126S-64-BP1 | 4"                                                           |



| PART NUMBER   | BSPP X BSPT 150 lb 316 S/S<br>3 PIECE FEMALE/MALE<br>BARREL UNION |
|---------------|-------------------------------------------------------------------|
| AF116S-04-BP1 | 1/4"                                                              |
| AF116S-06-BP1 | 3/8"                                                              |
| AF116S-08-BP1 | 1/2"                                                              |
| AF116S-12-BP1 | 3/4"                                                              |
| AF116S-16-BP1 | 1"                                                                |
| AF116S-20-BP1 | 1 1/4"                                                            |
| AF116S-24-BP1 | 1 1/2"                                                            |
| AF116S-32-BP1 | 2"                                                                |
| AF116S-40-BP1 | 2 1/2"                                                            |
| AF116S-48-BP1 | 3"                                                                |
| AF116S-64-BP1 | 4"                                                                |

## Industrial Fittings



| PART NUMBER   | NPT 316 S/S 150lb HEX<br>MALE WELD ON |
|---------------|---------------------------------------|
| AF16SW-02-NT1 | 1/8"                                  |
| AF16SW-04-NT1 | 1/4"                                  |
| AF16SW-06-NT1 | 3/8"                                  |
| AF16SW-08-NT1 | 1/2"                                  |
| AF16SW-10-NT1 | 5/8"                                  |
| AF16SW-12-NT1 | 3/4"                                  |
| AF16SW-16-NT1 | 1"                                    |
| AF16SW-20-NT1 | 1 1/4"                                |
| AF16SW-24-NT1 | 1 1/2"                                |
| AF16SW-32-NT1 | 2"                                    |
| AF16SW-40-NT1 | 2 1/2"                                |
| AF16SW-48-NT1 | 3"                                    |
| AF16SW-64-NT1 | 4"                                    |

| PART NUMBER    | NPSM CONE SEAT 316 S/S<br>FEMALE SWIVEL WELD ON |
|----------------|-------------------------------------------------|
| AF26SW-02-NMCS | 1/8"                                            |
| AF26SW-04-NMCS | 1/4"                                            |
| AF26SW-06-NMCS | 3/8"                                            |
| AF26SW-08-NMCS | 1/2"                                            |
| AF26SW-10-NMCS | 5/8"                                            |
| AF26SW-12-NMCS | 3/4"                                            |
| AF26SW-16-NMCS | 1"                                              |
| AF26SW-20-NMCS | 1 1/4"                                          |
| AF26SW-24-NMCS | 1 1/2"                                          |
| AF26SW-32-NMCS | 2"                                              |



| PART NUMBER   | NPT 150 lb 316 S/S<br>3 PIECE FEMALE/FEMALE<br>BARREL UNION |
|---------------|-------------------------------------------------------------|
| AF126S-02-NT1 | 1/8"                                                        |
| AF126S-04-NT1 | 1/4"                                                        |
| AF126S-06-NT1 | 3/8"                                                        |
| AF126S-08-NT1 | 1/2"                                                        |
| AF126S-12-NT1 | 3/4"                                                        |
| AF126S-16-NT1 | 1"                                                          |
| AF126S-20-NT1 | 1 1/4"                                                      |
| AF126S-24-NT1 | 1 1/2"                                                      |
| AF126S-32-NT1 | 2"                                                          |
| AF126S-40-NT1 | 2 1/2"                                                      |
| AF126S-48-NT1 | 3"                                                          |
| AF126S-64-NT1 | 4"                                                          |

| PART NUMBER   | NPT X NPT 150 lb 316 S/S<br>3 PIECE FEMALE/MALE<br>BARREL UNION |
|---------------|-----------------------------------------------------------------|
| AF116S-04-NT1 | 1/4"                                                            |
| AF116S-06-NT1 | 3/8"                                                            |
| AF116S-08-NT1 | 1/2"                                                            |
| AF116S-12-NT1 | 3/4"                                                            |
| AF116S-16-NT1 | 1"                                                              |
| AF116S-20-NT1 | 1 1/4"                                                          |
| AF116S-24-NT1 | 1 1/2"                                                          |
| AF116S-32-NT1 | 2"                                                              |
| AF116S-40-NT1 | 2 1/2"                                                          |
| AF116S-48-NT1 | 3"                                                              |
| AF116S-64-NT1 | 4"                                                              |

## Industrial Fittings



| PART NUMBER  | JIC 316 S/S FEMALE<br>SWIVEL WELD ON |
|--------------|--------------------------------------|
| AF26SW-07-JC | 7/16"                                |
| AF26SW-09-JC | 9/16"                                |
| AF26SW-12-JC | 3/4"                                 |
| AF26SW-14-JC | 7/8"                                 |
| AF26SW-17-JC | 1 1/16"                              |
| AF26SW-21-JC | 1 5/16"                              |
| AF26SW-26-JC | 1 5/8"                               |
| AF26SW-30-JC | 1 7/8"                               |
| AF26SW-40-JC | 2 1/2"                               |



| PART NUMBER   | 316 S/S SHD 10 STUB END |
|---------------|-------------------------|
| ST6SP-12-S10  | 1/2"                    |
| ST6SP-20-S10  | 3/4"                    |
| ST6SP-25-S10  | 1"                      |
| ST6SP-32-S10  | 1 1/4"                  |
| ST6SP-40-S10  | 1 1/2"                  |
| ST6SP-50-S10  | 2"                      |
| ST6SP-65-S10  | 2 1/2"                  |
| ST6SP-80-S10  | 3"                      |
| ST6SP-100-S10 | 4"                      |
| ST6SP-150-S10 | 6"                      |
| ST6SP-200-S10 | 8"                      |



| PART NUMBER   | 316 S/S SHD 40 STUB END |
|---------------|-------------------------|
| ST6SP-12-S40  | 1/2"                    |
| ST6SP-20-S40  | 3/4"                    |
| ST6SP-25-S40  | 1"                      |
| ST6SP-32-S40  | 1 1/4"                  |
| ST6SP-40-S40  | 1 1/2"                  |
| ST6SP-50-S40  | 2"                      |
| ST6SP-65-S40  | 2 1/2"                  |
| ST6SP-80-S40  | 3"                      |
| ST6SP-100-S40 | 4"                      |
| ST6SP-150-S40 | 6"                      |
| ST6SP-200-S40 | 8"                      |



| PART NUMBER  | INDUSTRIAL 316 S/S<br>LIFESAVER TAIL (6000 kPa) |
|--------------|-------------------------------------------------|
| LT6SIH60-12  | 3/4"                                            |
| LT6SIH60-16  | 1"                                              |
| LT6SIH60-20  | 1 1/4"                                          |
| LT6SIH60-24  | 1 1/2"                                          |
| LT6SIH60-32  | 2"                                              |
| LT6SIH60-40  | 2 1/2"                                          |
| LT6SIH60-48  | 3"                                              |
| LT6SIH60-64  | 4"                                              |
| LT6SIH60-80  | 5"                                              |
| LT6SIH60-96  | 6"                                              |
| LT6SIH60-128 | 8"                                              |
| LT6SIH60-160 | 10"                                             |
| LT6SIH60-192 | 12"                                             |

## Industrial Fittings



| PART NUMBER | INDUSTRIAL 316 S/S<br>FERRULE (6000 kPa) |
|-------------|------------------------------------------|
| IF6S60-12   | 3/4"                                     |
| IF6S60-16   | 1"                                       |
| IF6S60-20   | 1 1/4"                                   |
| IF6S60-24   | 1 1/2"                                   |
| IF6S60-32   | 2"                                       |
| IF6S60-40   | 2 1/2"                                   |
| IF6S60-48   | 3"                                       |
| IF6S60-64   | 4"                                       |



| PART NUMBER  | INDUSTRIAL 316 S/S<br>LIFESAVER TAIL (2000 kPa) |
|--------------|-------------------------------------------------|
| LT6SIH20-16  | 1"                                              |
| LT6SIH20-20  | 1 1/4"                                          |
| LT6SIH20-24  | 1 1/2"                                          |
| LT6SIH20-32  | 2"                                              |
| LT6SIH20-40  | 2 1/2"                                          |
| LT6SIH20-48  | 3"                                              |
| LT6SIH20-64  | 4"                                              |
| LT6SIH20-80  | 5"                                              |
| LT6SIH20-96  | 6"                                              |
| LT6SIH20-128 | 8"                                              |
| LT6SIH20-160 | 10"                                             |
| LT6SIH20-192 | 12"                                             |



| PART NUMBER     | INDUSTRIAL 304 S/S<br>SLOTTED FERRULE (2000 kPa) |                   |
|-----------------|--------------------------------------------------|-------------------|
|                 | HOSE SIZE                                        | FERRULE I.D. (mm) |
| IF4S20-31.8-12  | 3/4"                                             | 31.8              |
| IF4S20-33.3-12  | 3/4"                                             | 33.3              |
| IF4S20-34.9-12  | 3/4"                                             | 34.9              |
| IF4S20-36.5-16  | 1"                                               | 36.5              |
| IF4S20-38.1-16  | 1"                                               | 38.1              |
| IF4S20-39.7-16  | 1"                                               | 39.7              |
| IF4S20-44.5-20  | 1 1/4"                                           | 44.5              |
| IF4S20-46-20    | 1 1/4"                                           | 46                |
| IF4S20-46-24    | 1 1/2"                                           | 46                |
| IF4S20-49.2-24  | 1 1/2"                                           | 49.2              |
| IF4S20-50.8-24  | 1 1/2"                                           | 50.8              |
| IF4S20-52.4-24  | 1 1/2"                                           | 52.4              |
| IF4S20-63.5-32  | 2"                                               | 63.5              |
| IF4S20-65.1-32  | 2"                                               | 65.1              |
| IF4S20-66.7-32  | 2"                                               | 66.7              |
| IF4S20-68.3-32  | 2"                                               | 68.3              |
| IF4S20-76.2-40  | 2 1/2"                                           | 76.2              |
| IF4S20-79.4-40  | 2 1/2"                                           | 79.4              |
| IF4S20-90.5-48  | 3"                                               | 90.5              |
| IF4S20-92.1-48  | 3"                                               | 92.1              |
| IF4S20-93.7-48  | 3"                                               | 93.7              |
| IF4S20-115.9-64 | 4"                                               | 115.9             |
| IF4S20-119.1-64 | 4"                                               | 119.1             |
| IF4S20-122.2-64 | 4"                                               | 122.2             |
| IF4S20-168.3-96 | 6"                                               | 168.3             |
| IF4S20-171.5-96 | 6"                                               | 171.5             |

## Industrial Fittings



| PART NUMBER       | BSPT 316 S/S MALE x INDUSTRIAL HOSETAIL |
|-------------------|-----------------------------------------|
| AF56SIH20-1616-BT | 1" x 1"                                 |
| AF56SIH20-2020-BT | 1 1/4" x 1 1/4"                         |
| AF56SIH20-2424-BT | 1 1/2" x 1 1/2"                         |
| AF56SIH20-3232-BT | 2" x 2"                                 |
| AF56SIH20-4040-BT | 2 1/2" x 2 1/2"                         |
| AF56SIH20-4848-BT | 3"                                      |
| AF56SIH20-9696-BT | 4"                                      |



| PART NUMBER         | BSPP CONE SEAT 316 S/S FEMALE SWIVEL x INDUSTRIAL HOSETAIL |
|---------------------|------------------------------------------------------------|
| AF26SIH20-1616-BPCS | 1" x 1"                                                    |
| AF26SIH20-2020-BPCS | 1 1/4" x 1 1/4"                                            |
| AF26SIH20-2424-BPCS | 1 1/2" x 1 1/2"                                            |
| AF26SIH20-3232-BPCS | 2" x 2"                                                    |
| AF26SIH20-4040-BPCS | 2 1/2" x 2 1/2"                                            |
| AF26SIH20-4848-BPCS | 3"                                                         |
| AF26SIH20-9696-BPCS | 4"                                                         |



| PART NUMBER         | BSPT/P 150lb 316 S/S SEATED HEX MALE NIPPLE |
|---------------------|---------------------------------------------|
| HMN6S-2020-BT1SBP1S | 1 1/4" x 1 1/4"                             |
| HMN6S-2424-BT1SBP1S | 1 1/2" x 1 1/2"                             |
| HMN6S-3232-BT1SBP1S | 2" x 2"                                     |


## Industrial Fittings



| PART NUMBER  | ROLLED GROOVE CARBON STEEL STD SPIGOT |                     |           |
|--------------|---------------------------------------|---------------------|-----------|
|              | SIZE                                  | WALL THICKNESS (mm) | O.D. (mm) |
| RGMSW-25     | 1"                                    | 3.38                | 33.7      |
| RGMSW-32     | 1 1/4"                                | 3.56                | 42.4      |
| RGMSW-40     | 1 1/2"                                | 3.65                | 48.3      |
| RGMSW-50     | 2"                                    | 3.91                | 60.3      |
| RGMSW-65-US  | 2 1/2"                                | 5.16                | 73.0      |
| RGMSW-65     | 2 1/2"                                | 5.16                | 76.1      |
| RGMSW-80     | 3"                                    | 5.49                | 88.9      |
| RGMSW-100    | 4"                                    | 6.02                | 114.3     |
| RGMSW-125    | 5"                                    | 6.55                | 141.3     |
| RGMSW-150    | 6"                                    | 7.11                | 165.1     |
| RGMSW-150-US | 6"                                    | 7.11                | 168.3     |
| RGMSW-200    | 8"                                    | 8.18                | 219.1     |
| RGMSW-250    | 10"                                   | 9.27                | 273.0     |
| RGMSW-300    | 12"                                   | 10.31               | 323.9     |

| PART NUMBER  | ROLLED GROOVE 316 S/S SCH40 SPIGOT |                     |           |
|--------------|------------------------------------|---------------------|-----------|
|              | SIZE                               | WALL THICKNESS (mm) | O.D. (mm) |
| RG6SW-25     | 1"                                 | 3.38                | 33.7      |
| RG6SW-32     | 1 1/4"                             | 3.56                | 42.4      |
| RG6SW-40     | 1 1/2"                             | 3.68                | 48.3      |
| RG6SW-50     | 2"                                 | 3.91                | 60.3      |
| RG6SW-65-US  | 2 1/2"                             | 5.16                | 73.0      |
| RG6SW-65     | 2 1/2"                             | 5.16                | 76.1      |
| RG6SW-80     | 3"                                 | 5.49                | 88.9      |
| RG6SW-100    | 4"                                 | 6.02                | 114.3     |
| RG6SW-125    | 5"                                 | 6.55                | 141.3     |
| RG6SW-150    | 6"                                 | 7.11                | 165.1     |
| RG6SW-150-US | 6"                                 | 7.11                | 168.3     |
| RG6SW-200    | 8"                                 | 8.18                | 219.1     |
| RG6SW-250    | 10"                                | 9.27                | 273.0     |
| RG6SW-300    | 12"                                | 9.53                | 323.9     |

Refer to specifications on page: 326



| PART NUMBER    | GALVANISED PAINTED ROLLED GROOVE RIGID COUPLING (2068 kPa) |
|----------------|------------------------------------------------------------|
| RGCLAMP-25     | 1"                                                         |
| RGCLAMP-32     | 1 1/4"                                                     |
| RGCLAMP-40     | 1 1/2"                                                     |
| RGCLAMP-50     | 2"                                                         |
| RGCLAMP-65     | 2 1/2"                                                     |
| RGCLAMP-65US   | 2 1/2"                                                     |
| RGCLAMP-80     | 3"                                                         |
| RGCLAMP-100    | 4"                                                         |
| RGCLAMP-125    | 5"                                                         |
| RGCLAMP-150    | 6"                                                         |
| RGCLAMP-150-US | 6"                                                         |
| RGCLAMP-200    | 8"                                                         |
| RGCLAMP-250    | 10"                                                        |
| RGCLAMP-300    | 12"                                                        |

| PART NUMBER  |                | ROLLED GROOVE SEAL |
|--------------|----------------|--------------------|
| NITRILE      | EPDM           |                    |
| RGSBN-25     | RGSEPDM-25     | 1"                 |
| RGSBN-32     | RGSEPDM-32     | 1 1/4"             |
| RGSBN-40     | RGSEPDM-40     | 1 1/2"             |
| RGSBN-50     | RGSEPDM-50     | 2"                 |
| RGSBN-65     | RGSEPDM-65     | 2 1/2"             |
| RGSBN-65-US  | RGSEPDM-65-US  | 2 1/2"             |
| RGSBN-80     | RGSEPDM-80     | 3"                 |
| RGSBN-100    | RGSEPDM-100    | 4"                 |
| RGSBN-125    | RGSEPDM-125    | 5"                 |
| RGSBN-150    | RGSEPDM-150    | 6"                 |
| RGSBN-150-US | RGSEPDM-150-US | 6"                 |
| RGSBN-200    | RGSEPDM-200    | 8"                 |
| RGSBN-250    | RGSEPDM-250    | 10"                |
| RGSBN-300    | RGSEPDM-300    | 12"                |

## Industrial Fittings



| PART NUMBER  | DOUBLE ROLLED GROOVE<br>CARBON STEEL STD ADPATOR |                     |           |
|--------------|--------------------------------------------------|---------------------|-----------|
|              | SIZE                                             | WALL THICKNESS (mm) | O.D. (mm) |
| RGDMS-25     | 1"                                               | 3.38                | 33.7      |
| RGDMS-32     | 1 1/4"                                           | 3.56                | 42.4      |
| RGDMS-40     | 1 1/2"                                           | 3.65                | 48.3      |
| RGDMS-50     | 2"                                               | 3.91                | 60.3      |
| RGDMS-65-US  | 2 1/2"                                           | 5.16                | 73.0      |
| RGDMS-65     | 2 1/2"                                           | 5.16                | 76.1      |
| RGDMS-80     | 3"                                               | 5.49                | 88.9      |
| RGDMS-100    | 4"                                               | 6.02                | 114.3     |
| RGDMS-125    | 5"                                               | 6.55                | 141.3     |
| RGDMS-150    | 6"                                               | 7.11                | 165.1     |
| RGDMS-150-US | 6"                                               | 7.11                | 168.3     |
| RGDMS-200    | 8"                                               | 8.18                | 219.1     |
| RGDMS-250    | 10"                                              | 9.27                | 273.0     |
| RGDMS-300    | 12"                                              | 10.31               | 323.9     |



| PART NUMBER  | DOUBLE ROLLED GROOVE<br>316 S/S SCH40 ADPATOR |                     |           |
|--------------|-----------------------------------------------|---------------------|-----------|
|              | SIZE                                          | WALL THICKNESS (mm) | O.D. (mm) |
| RGD6S-25     | 1"                                            | 3.38                | 33.7      |
| RGD6S-32     | 1 1/4"                                        | 3.56                | 42.4      |
| RGD6S-40     | 1 1/2"                                        | 3.68                | 48.3      |
| RGD6S-50     | 2"                                            | 3.91                | 60.3      |
| RGD6S-65-US  | 2 1/2"                                        | 5.16                | 73.0      |
| RGD6S-65     | 2 1/2"                                        | 5.16                | 76.1      |
| RGD6S-80     | 3"                                            | 5.49                | 88.9      |
| RGD6S-100    | 4"                                            | 6.02                | 114.3     |
| RGD6S-125    | 5"                                            | 6.55                | 141.3     |
| RGD6S-150    | 6"                                            | 7.11                | 165.1     |
| RGD6S-150-US | 6"                                            | 7.11                | 168.3     |
| RGD6S-200    | 8"                                            | 8.18                | 219.1     |
| RGD6S-250    | 10"                                           | 9.27                | 273.0     |
| RGD6S-300    | 12"                                           | 9.53                | 323.9     |

\*Custom Adapters Available On Request

## Industrial Fittings



| PART NUMBER | TYPE 'E' 316 S/S MALE<br>CAMLOCK x INDUSTRIAL<br>HOSETAIL |
|-------------|-----------------------------------------------------------|
| QL16SIH-08  | 1/2"                                                      |
| QL16SIH-12  | 3/4"                                                      |
| QL16SIH-16  | 1"                                                        |
| QL16SIH-20  | 1 1/4"                                                    |
| QL16SIH-24  | 1 1/2"                                                    |
| QL16SIH-32  | 2"                                                        |
| QL16SIH-40  | 2 1/2"                                                    |
| QL16SIH-48  | 3"                                                        |
| QL16SIH-64  | 4"                                                        |
| QL16SIH-96  | 6"                                                        |



| PART NUMBER | TYPE 'C' 316 S/S FEMALE<br>CAMLOCK x INDUSTRIAL<br>HOSETAIL (BN SEALS) |
|-------------|------------------------------------------------------------------------|
| QL26SIH-08  | 1/2"                                                                   |
| QL26SIH-12  | 3/4"                                                                   |
| QL26SIH-16  | 1"                                                                     |
| QL26SIH-20  | 1 1/4"                                                                 |
| QL26SIH-24  | 1 1/2"                                                                 |
| QL26SIH-32  | 2"                                                                     |
| QL26SIH-40  | 2 1/2"                                                                 |
| QL26SIH-48  | 3"                                                                     |
| QL26SIH-64  | 4"                                                                     |
| QL26SIH-96  | 6"                                                                     |



| PART NUMBER   | TYPE 'C' SAFLOK 316 S/S<br>FEMALE CAMLOCK x<br>INDUSTRIAL HOSETAIL<br>(BN SEALS) |
|---------------|----------------------------------------------------------------------------------|
| QL26SSAFIH-16 | 1"                                                                               |
| QL26SSAFIH-24 | 1 1/2"                                                                           |
| QL26SSAFIH-32 | 2"                                                                               |
| QL26SSAFIH-40 | 2 1/2"                                                                           |
| QL26SSAFIH-48 | 3"                                                                               |
| QL26SSAFIH-64 | 4"                                                                               |



| PART NUMBER  | TYPE 'C' INSTA-LOCK 316 S/S<br>FEMALE CAMLOCK x<br>INDUSTRIAL HOSETAIL<br>(BN SEALS) |
|--------------|--------------------------------------------------------------------------------------|
| QL26SINIH-08 | 1/2"                                                                                 |
| QL26SINIH-12 | 3/4"                                                                                 |
| QL26SINIH-16 | 1"                                                                                   |
| QL26SINIH-20 | 1 1/4"                                                                               |
| QL26SINIH-24 | 1 1/2"                                                                               |
| QL26SINIH-32 | 2"                                                                                   |
| QL26SINIH-40 | 2 1/2"                                                                               |
| QL26SINIH-48 | 3"                                                                                   |
| QL26SINIH-64 | 4"                                                                                   |
| QL26SINIH-96 | 6"                                                                                   |

**Specialised Encapsulated Fittings  
Available on request.**

